

Acetone

Version 1.01

Revision Date 22.08.2019

Product identifier		
Trade name	Acetone	
Synonyms	2-Propanone, methyl ketone, Ketone propane, beta- Ketopropane	
Product code	2110	
CAS-No.	67-64-1	
EINECS-No.	200-662-2	
Relevant identified uses of t	he substance or mixture and uses advised against	
Use	Industrial use. Solvent.	
Manufacturer or supplier's d	letails	
Company	Sasol Chemicals, a division of Sasol South Africa Ltd	
Address	Sasol Place, 50 Katherine Street Sandton 2090 South Africa	
Telephone	+27103445000	
E-mail address	sasolchem.info.sa@sasol.com	
Supplier's details	Sasol Chemicals Pacific Ltd	
	2 Shenton way #06-01	
	SGX Centre 1	
+ D-+- 27 00 2040	068804	a /a =
t Date 27.08.2019	10000003894	1/15

SECTION 1. Identification of the substance/mixture and of the company/undertaking



Acetone

Version 1.01

Revision Date 22.08.2019

Telephone	Singapore +65 6533 8856
E-mail address	info.sg@sasol.com
Emergency Phone Number	
Emergency telephone number	+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
	+44(0)1235 239 671 (Middle East, Arabic African countries)
	+65 3158 1074 (Asia Pacific)
	+86 10 5100 3039 (China)
	+27 (0)17 610 4444 (South Africa)
	0800 112 890 RSA-Local only
	+61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

	Globally Harmonized System of Classifica Chemicals (GHS)	ation and Labelling of	
Classification	Flammable liquids	Category 2	
Classification	Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.		
	Eye damage/irritation	Category 2	
Print Date 27.08.2019	10000003894	2/15	



Version 1.01

Sasol

	Specific target organ toxicity - single exposure	Category 3
GHS label elements		
Hazard pictograms :		
Signal word :	Danger	
Hazard statements	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.	
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surface No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P280 Wear protective gloves/ eye protection/ face protection 	9.
	Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage:	
Print Date 27.08.2019	10000003894	3/15

Revision Date 22.08.2019



Acetone

Version 1.01

Revision Date 22.08.2019

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Sasol

5/15

Safety Data Sheet

Acetone

Version 1.01

Revision Date 22.08.2019

SECTION 3. Composition/information on ingredients

Substance

Acetone

Contents: >= 90.00 - <= 100.00 %W/W

CAS-No. 67-64-1

Index-No. 606-001-00-8 EC-No. 200-662-2 Hazard statements *H225 H319 H336*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures Inhalation Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately. Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes Eye contact and consult a physician. Ingestion If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious Print Date 27.08.2019 10000003894



Acetone

Version 1.01

Revision Date 22.08.2019

person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide (CO2)
Unsuitable extinguishing media	No information available.
Special hazards arising from the substance or mixture	Flash back possible over considerable distance. Vapours may form explosive mixtures with air.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	ersonal precautions Keep people away from and upwind of spill/leak. Remove all	
	sources of ignition. Do not breathe vapours or spray mist.	
	Ensure adequate ventilation.	
Environmental precautions	Should not be released into the environment. Prevent further	
	leakage or spillage if safe to do so. Do not allow material to	
Print Date 27.08.2019	10000003894	6/15

Acetone Version 1.01



	contaminate ground water system. Do not flush into surface water or sanitary sewer system.
Methods for cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste.
Reference to other sections	Refer toSection8and13

Revision Date 22.08.2019

SECTION 7. Handling and storage

Safe handling advice	Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.
Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition.Use explosion-proof equipment.
Temperature class	T1
Fire-fighting class	Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.
Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place.Keep away from heat.Keep away from direct sunlight.
Advice on common storage	Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

Print Date 27.08.2019



Acetone

Version 1.01

Revision Date 22.08.2019

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Туре	Control parameters	Update	Basis
ACETONE	TWA_PH	2,400 mg/m3	12 1997	Philippines OELs
	TWA_PH	1,000 ppm	12 1997	Philippines OELs

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Gloves suitable for permanent contact: Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm
Eye protection	Safety glasses with side-shields
Skin and body protection	Protective suit Safety shoes
Hygiene measures	Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

SECTION 9. Physical and chemical properties

Print Date 27.08.2019



Acetone

Version 1.01

Revision Date 22.08.2019

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 $^\circ$ C; 1,013 hPa
Colour	Colourless
Odour	characteristic
Odour Threshold	No data available
Melting point/range	-95 ° C
Boiling point/boiling range	56 °C
Flash point	-20 ° C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	465 °C
Lower explosion limit	2.6 %(V)
Upper explosion limit	12.8 %(V)
Vapour pressure	307 hPa; 25 ° C
Relative vapour density	2
Density	0.79 g/cm3
Water solubility	Soluble
Viscosity, dynamic	0.32 mPa.s
Viscosity, kinematic	0.4 mm2/s

SECTION 10. Stability and reactivity

Print Date 27.08.2019



Acetone

Version 1.01

Revision Date 22.08.2019

Reactivity	Stable under recommended storage conditions.
Chemical stability	No data available
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Materials to avoid	Strong oxidizing agents. Incompatible with acids. Halogenated compounds
Hazardous decomposition products	Carbon oxides.

SECTION 11. Toxicological information

Acute oral toxicity	Acetone: LD50 Rat: > 2,000 mg/kg; (literature value)	
Acute inhalation toxicity	Acetone: LC50 Rat: 4 h; vapour; > 20 mg/l; GLP: no; (literature value)	
Acute dermal toxicity	Acetone: LD50 Rabbit: > 2,000 mg/kg; (literature value)	
Skin irritation	Acetone: Rabbit: moderately irritating; GLP: no; (literature value)	
Eye irritation	Acetone: Rabbit: irritating GLP: no; (literature value)	
Print Date 27.08.2019	10000003894	10/15

Sasol

Safety Data Sheet

Acetone Version 1.01

Revision Date 22.08.2019

Mutagenicity

Acetone: Ames test: Salmonella typhimurium; Not mutagenic; GLP: no; (literature value)

SECTION 12. Ecological information

Toxicity to daphnia and other	Acetone:
aquatic invertebrates	static test; Daphnia magna (Water flea); 48 h; > 100
	mg/l(literature value)
Biodegradability	Acetone:
	Readily biodegradable.; (literature value)

SECTION 13. Disposal considerations

Product	In accordance with local and national regulations. Do not
	contaminate ponds, waterways or ditches with chemical or
	used container. The product should not be allowed to enter
	drains, water courses or the soil.

SECTION 14. Transport information ADR Image: Marcine information UN number: 1090 Class: 3 11/15



Acetone

Version 1.01

Revision Date 22.08.2019

Packaging group:	II; F1;
Proper shipping name:	ACETONE
RID	
UN number:	1090
Class:	3
Packaging group:	II; F1
Proper shipping name:	ACETONE
ADNR	
UN number:	1090
Class:	3
Packaging group:	II; F1
Proper shipping name:	ACETONE
IMDG	
UN number:	1090
Class:	3
EmS:	F-E, S-D
Packaging group:	II
Proper shipping name:	ACETONE
Marine pollutant	Not a Marine Pollutant
	100000000



Acetone

Version 1.01

Revision Date 22.08.2019

ICAO/IATA

UN number :	1090
Class:	3
Packaging group:	II
Proper shipping name:	ACETONE
Transport in bulk according	Acetone
to Annex II of MARPOL	Pollution Category: Z
73/78 and the IBC Code	

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture				
Canada. DSL - Domestic Substances List,	All chemical constituents are listed in: Canada.	OSL - Domestic		
part of CEPA	Substances List, part of CEPA (See chapter 3)			
Australia. AICS - Australian Inventory of	All chemical constituents are listed in: Australia.	AICS -		
•				
Chemical Substances	Australian Inventory of Chemical Substances (Se	ee chapter 3)		
New Zealand Inventory of Chemical	All chemical constituents are listed in: New Zeala	and Inventory of		
Substances	Chemical Substances (See chapter 3)	,		
Substances	Chemical Substances (See chapter 5)			
Japan. ENCS - Existing and New Chemical	All chemical constituents are listed in: Japan. EN	ICS - Existing		
Substances Inventory	and New Chemical Substances Inventory (See c	hapter 3)		
Japan. Industrial Safety and Health Law -	All chemical constituents are listed in: Japan. Inc	dustrial Safety		
Inventory	and Health Law - Inventory (See chapter 3)			
	4000000000			
Print Date 27.08.2019	10000003894	13/15		

Acetone



Version 1.01 Revision Date 22.08.2019 Korea. KECI - Korean Existing Chemicals All chemical constituents are listed in: Korea. KECI - Korean Inventory Existing Chemicals Inventory (See chapter 3) Philippines. PICCS - Philippines Inventory of All chemical constituents are listed in: Philippines. PICCS -**Chemicals and Chemical Substances** Philippines Inventory of Chemicals and Chemical Substances (See chapter 3) China. IECSC - Inventory of Existing All chemical constituents are listed in: China. IECSC - Inventory **Chemical Substances in China** of Existing Chemical Substances in China (See chapter 3) All chemical constituents are listed in: Taiwan. Chemical Taiwan. Chemical Substances Inventory (TCSI) Substances Inventory (TCSI) (See chapter 3) **USA TSCA Inventory** All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety.

Print Date 27.08.2019



Acetone Version 1.01

Revision Date 22.08.2019

This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 27.08.2019