according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 1 of 7

### **Aluminum Metal Strips**

# SECTION 1: Identification of the substance/mixture and of the supplier

Product name : Aluminum Metal Strips

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25146

Recommended uses of the product and uses restrictions on use:

**Manufacturer Details:** 

AquaPhoenix Scientific 9 Barnhart Drive, Hanover, PA 17331

# **Supplier Details:**

Fisher Science Education 15 Jet View Drive, Rochester, NY 14624

## **Emergency telephone number:**

# **SECTION 2: Hazards identification**

# Classification of the substance or mixture:

Not classified for physical or health hazards under GHS.

# **Hazard statements:**

#### **Precautionary statements:**

If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Protect from moisture

## Other Non-GHS Classification:

B6 NFPA/HMIS

**WHMIS** 

**Effective date**: 11.18.2014 Page 2 of 7

## **Aluminum Metal Strips**





HMIS RATINGS (0-4)

# **SECTION 3: Composition/information on ingredients**

Ingredients:			
CAS 7429-90-5	Aluminum	100 %	
		Percentages are by weight	

### **SECTION 4: First aid measures**

#### **Description of first aid measures**

**After inhalation:** Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

**After skin contact:** Wash affected area with water for at least 15 minutes. Seek medical attention if irritation persists or if concerned.

**After eye contact:** Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

**After swallowing:** Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention immediately. Have exposed individual drink sips of water.

#### Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Treat patient symptomatically.

## **SECTION 5 : Firefighting measures**

### **Extinguishing media**

**Suitable extinguishing agents:** If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Smother with suitable dry powder for extinction. (Pressure from this media may cause severe dusting)

For safety reasons unsuitable extinguishing agents: Do not use water.

#### Special hazards arising from the substance or mixture:

Combustion products may include metallic oxides or other toxic vapors. Combustible Solid, finely divided dust is easily ignited; may cause explosions.

### **Advice for firefighters:**

**Protective equipment:** Use NIOSH-approved respiratory protection/breathing apparatus.Wear fire/flame resistant/retardant clothing.

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 3 of 7

#### **Aluminum Metal Strips**

Additional information (precautions): Use spark-proof tools and explosion-proof equipment.

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

## **Environmental precautions:**

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

#### Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Avoid contact with skin, eyes and clothing. Vacuum or sweep up material and place into a suitable, dry disposal container. Always obey local regulations.

#### Reference to other sections:

# **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Follow good hygiene procedures when handling chemical materials. Wash thoroughly after handling.Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan.Use only in well ventilated areas.Avoid generation of dust or fine particulate.Dust may form flammable or explosive mixture with air, especially when damp.Wash thoroughly after handling.Avoid contact with skin and eyes.Avoid ingestion and inhalation.

## Conditions for safe storage, including any incompatibilities:

Store in a cool location. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed.

# **SECTION 8: Exposure controls/personal protection**





**Control Parameters:** 7429-90-5, Aluminum (as Al) (pyrophoric powder), ACGIH TLV TWA 5

mg/m3

7429-90-5, Aluminum (as Al) (metal dust), ACGIH TLV TWA: 10 mg/m3 7429-90-5, Aluminum (as Al) (respirable), OSHA PEL TWA: 5 mg/m3 7429-90-5, Aluminum (as Al) (total), OSHA PEL TWA: 15 mg/m3 7429-90-5, Aluminum (as Al) (respirable), NIOSH REL: TWA 5 mg/m3 7429-90-5, Aluminum (as Al) (total), NIOSH REL: TWA 10 mg/m3

**Appropriate Engineering controls:** Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling.Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits

(Occupational Exposure Limits-OELs) indicated above.

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 4 of 7

#### **Aluminum Metal Strips**

**Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

**Protection of skin:** The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

**Eye protection:** Safety glasses with side shields or goggles.

**General hygienic measures:** The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

## **SECTION 9: Physical and chemical properties**

Appearance (physical state,color):	Silver-gray solid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not Applicable	Relative density:	2.7 g/cm3
Melting/Freezing point:	660 °C, 1220°F	Solubilities:	Insoluble in water.
Boiling point/Boiling range:	2327 °C, 4221°F	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	Not determined	Viscosity:	a. Kinematic:Not determined b. Dynamic: Not applicable

**Density**: Not Determined **Molecular Weight::**26.98 **Specific Gravity: :**2.7020 g/cm3

#### **SECTION 10: Stability and reactivity**

**Reactivity:**Corrodes in contact with acids & other metals.

**Chemical stability:**No decomposition if used and stored according to specifications. Stable under normal temps and pressures.

**Possible hazardous reactions:**Combustible Solid, finely divided dust is easily ignited; may cause explosions.

**Conditions to avoid:**Store away from oxidizing agents, strong acids or bases.Air and moisture sensitive.

**Incompatible materials:**Strong oxidizers & acids.Halogenated hydrocarbons.

Hazardous decomposition products: Aluminum Oxide.

### **SECTION 11: Toxicological information**

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 5 of 7

#### **Aluminum Metal Strips**

Acute Toxicity:			
Oral:	LD50 rat >15900 mg/kg bw		
Chronic Toxicity: No additional information.			
Corrosion Irritation: No additional information.			
Sensitization: No add		No additional information.	
Single Target Organ (STOT):		No additional information.	
Numerical Measures:		No additional information.	
Carcinogenicity: No additional information.		No additional information.	
Mutagenicity:		No additional information.	
Reproductive Toxicity:		No additional information.	

### **SECTION 12: Ecological information**

#### **Ecotoxicity**

LC50 Fish: Ctenopharyngodon idella (Grass carp, white amur) [Al 7429-90-5]: 260 ug/L/96 hr

LC50 Crustacea: Daphnia magna (Water flea) [Al 7429-90-5]: 2.6 mg/L/24 hr

LC50 Fish: Oncorhynchus mykiss (Rainbow trout) [Al 7429-90-5]: 120 ug/L/96 hr; static

Persistence and degradability:

**Bioaccumulative potential**: Birds and mammals are most likely exposed through dietary ingestion of soil or Alcontaminated foods.

Mobility in soil:

Other adverse effects:

## **SECTION 13: Disposal considerations**

### Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

### **SECTION 14: Transport information**

## **UN-Number**

Not Regulated.

# **UN proper shipping name**

Not Regulated.

Transport hazard class(es)
Packing group:Not Regulated
Environmental hazard:
Transport in bulk:

Special precautions for user:

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 6 of 7

#### **Aluminum Metal Strips**

# SECTION 15: Regulatory information

## **United States (USA)**

#### SARA Section 311/312 (Specific toxic chemical listings):

Reactive

### SARA Section 313 (Specific toxic chemical listings):

7429-90-5 Aluminum (fume or dust)

#### RCRA (hazardous waste code):

None of the ingredients is listed

# TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

#### Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients is listed

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

## Chemicals known to cause developmental toxicity:

None of the ingredients is listed

## Canada

#### Canadian Domestic Substances List (DSL):

All ingredients are listed.

# Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

#### Canadian NPRI Ingredient Disclosure list (limit 1%):

7429-90-5 Aluminum, elemental

## **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

## GHS Full Text Phrases:

# **Abbreviations and acronyms:**

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 11.18.2014 Page 7 of 7

## **Aluminum Metal Strips**

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date: 11.18.2014 Last updated: 03.19.2015