

	accordin	ng to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83	30 and US OSHA HCS 2015						
	Section 1.	Identification of the Substance/Mixture and of th	he Company/Undertaking						
.1	Product Code:	17407	· · · ·						
	Product Name:	Calcium ionophore I							
	Synonyms:	1,34-diethyl ester,							
		13,17R,18R,22-tetramethyl-14,21-dioxo-16,19)-dioxa-13,22-diazatetratriacontanedioic acid; C						
	1001; ETH 1001;								
1.2	Relevant identified uses of the substance or mixture and uses advised against:								
	Relevant identified uses	: For research use only, not for human or vetering	nary use.						
.3	Details of the Supplier of the Safety Data Sheet:								
	Company Name: Cayman Chemical Company								
		1180 E. Ellsworth Rd.							
		Ann Arbor, MI 48108							
	Web site address:	www.caymanchem.com							
	Information:	Cayman Chemical Company	+1 (734)971-3335						
1.4	Emergency telephone nu								
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300						
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887						
		Section 2. Hazards Identific	ation						
2.1	Classification of the Subs	tance or Mixture:							
	Flammable Liquids, Cat	egory 2							
2.2	Label Elements:								
	GHS Signal Word:	Danger							
	GHS Hazard Phrases:								
	H225: Highly flammable liquid and vapor.								
	GHS Precautionary Phrases:								
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.								
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.								
	GHS Response Phrases:								
	P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with								
	water/shower.								
	GHS Storage and Disposal Phrases:								
	Please refer to Section 7 for Storage and Section 13 for Disposal information.								
	UFI:		-						
2.3	Adverse Human Health	Material may be irritating to the mucous membrane	es and upper respiratory tract						
2.0									
Effects and Symptoms: May be harmful by inhalation, ingestion, or skin absorption. May cause eye, skin, or respiratory system irritation.									
	To the best of our knowledge, the toxicological properties have not been thoroughly investigated.								
			Multi-region form						



Multi-region format

		Sec	tion 3. Composition	miormation c	n ingreale	nus			
CAS # / RTECS #		Hazardous Com REACH Registra	ponents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification			
5880 NA			3,22-tetramethyl-14,21-dioxo-16,1 tetratriacontanedioate	1.0 %	261-449-8 NA	No data available.			
	-17-5 00000	Ethyl alcohol 01-2119457610-43-	0000	99.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225			
		•	Section 4. Fi	rst Aid Measu	ires	•			
4.1	Descrip	otion of First Aid							
	Measur	es:							
	In Case	of Inhalation:	Remove to fresh air. If not bre Get immediate medical attent		respiration or giv	e oxygen by trained personnel			
	In Case	of Skin Contact:	clothing. Get medical attentio	n if symptoms occur.	Wash clothing b				
	In Case	of Eye Contact:	and tested by medical person	ds apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined d by medical personnel.					
	In Case	of Ingestion:	•	provided person is conscious. Never give anything by mouth to an edical attention. Do NOT induce vomiting unless directed to do so by					
4.2	Important Symptoms and May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude Effects, Both Acute and (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Delayed:								
			Section 5. Fire	Fighting Mea	isures				
5.1	Suitabl	e Extinguishing	Use alcohol-resistant foam, c	arbon dioxide, water	, or dry chemical	spray.			
	Media:		Use water spray to cool fire-e	exposed containers.					
	Unsuita Media:	able Extinguishing	g A solid water stream may be	inefficient.					
5.2	Flamma	able Properties ar	dCan release vapors that form	•	•	at or above the flashpoint.			
	Hazard	S:	Container explosion may occ		ns.				
			Emits toxic fumes under fire of Sensitive to static discharge.						
			Vapors can travel to a source		back.				
			No data available.	J					
	Flash P	et:	14.00 C Method Used: Clo	osed Cup					
	Explosi	ive Limits:	LEL: 3.3% at 25.0 C	UEL: 19.0%	at 25.0 C				
	-	nition Pt:	363.00						
5.3	Fire Fig	hting Instruction	s: As in any fire, wear self-conta equivalent), and full protective		-				
			Note: Flammable as diluted in	n ethanol.					



Revision: 02/03/2020 Supersedes Revision: 03/25/2016

	HEMICAL			Superseues Revis	1011. 03/23/2010				
		Section 6	6. Accidental	Release Measures					
6.1 Protective Precautions, Avoid breathing vapors and provide adequate ventilation.									
Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or					is, or respirator,				
Emergency Procedures: and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).									
6.2	Environmental								
	Precautions:								
6.3	Methods and Material For	r Contain spill	and collect, as appr	ropriate.					
	Containment and Cleanin	g Transfer to a	a chemical waste cor	ntainer for disposal in accordance with local regula	ations.				
	Up:								
		Sect	ion 7. Handli	ing and Storage					
7.1	Precautions To Be Taken	Avoid breathi	ing dust/fume/gas/m	ist/vapours/spray.					
	in Handling:		ged or repeated exp						
	-	Keep away fr	rom sources of ignition	on.					
1		Take precaut	tionary measures ag	ainst static discharge.					
7.2	Precautions To Be Taken	Keep away fr	rom heat, sparks, an	ld flame.					
	in Storing:		er tightly closed.						
			ordance with informa	tion listed on the product insert.					
	Other Precautions:	Hygroscopic							
	Sec	tion 8. Ex	kposure Cont	rols/Personal Protection					
8.1	Exposure Parameters:								
CAS #	# Chemical Name	Juris	diction	Recommended Exposure Limits	Notations				
64-17-5 Ethyl alcohol		ACGI	H TLV	TLV: 1000 ppm STEL: 1000 ppm					
		Franc	e VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)					
			A PELs	PEL: 1000 ppm					
		Britair	n EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()					
8.2	Exposure Controls:			STEL. ()					
8.2.1	Engineering Controls	Use process	enclosures. local ex	haust ventilation, or other engineering controls to	control airborne				
	(Ventilation etc.):	-	recommended expo						
8.2.2	Personal protection equi	pment:							
	Eye Protection:	Safety glasse	25						
	Protective Gloves:			oves					
Protective Gloves: Compatible chemical-resistant gloves Other Protective Clothing:Lab coat									
	Respiratory Equipment		oved respirator as o	onditions warrant					
Respiratory Equipment NIOSH approved respirator, as conditions warrant. (Specify Type):									
(Specify Type): Work/Hygienic/Maintenan Do not take internally.									
ce Practices: Facilities storing or utilizing this material should be equipped with an eyewash and a safety s Wash thoroughly after handling.									
No data available.									

Multi-region format



Multi-region format

Se	ection 9. Physical and Chemical Properties
Information on Basic Physi	ical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	A solution in ethanol
pH:	No data.
Melting Point:	No data.
Boiling Point:	No data.
Flash Pt:	14.00 C Method Used: Closed Cup
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C
Vapor Pressure (vs. Air or	mm 43 MM_HG at 20.0 C
Hg):	
Vapor Density (vs. Air = 1)	: No data.
Specific Gravity (Water = 1	1): No data.
Solubility in Water:	No data.
Octanol/Water Partition	No data.
Coefficient:	
Autoignition Pt:	363.00
-	
Viscosity:	No data.
Other Information	
Percent Volatile:	No data.
Molecular Formula & Weig	
	Section 10. Stability and Reactivity
Popotivity	No data available.
-	Unstable [] Stable [X]
-	Stable if stored in accordance with information listed on the product insert.
• • • •	
-	Will occur [] Will not occur [X]
	heat, flames, and sparks
• •	
	ammonia
	peroxides
	strong oxidizing agents
	carbon dioxide carbon monoxide
	nitrogen oxides
Byproducts:	Throgen oxides
	Information on Basic Phys Physical States: Appearance and Odor: pH: Melting Point: Flash Pt: Evaporation Rate: Flammability (solid, gas): Explosive Limits: Vapor Pressure (vs. Air or Hg): Vapor Density (vs. Air = 1) Specific Gravity (Water = 1) Spe



	HEMICAL				<u></u>	S	upersedes Revis	ion: 03/25/201	
			Section	11. Toxicological	Informa	ation			
11.1	1.1 Information on Toxicological Effects: Chronic Toxicological Effects:		The toxicologic Ethanol - Toxic (rat): 7,060 mg (rabbit): 6,300 ppm (30m); In (6h); Inhalation Ethanol - Irrita Ethanol - Inves and tumorigen Only select Re	cal effects of this product ha city Data: Oral TDLO (man) g/kg; Oral LD50 (mouse): 3, mg/kg; Inhalation LC50 (ra halation TCLO (human): 2, h LCLO (mouse): 29,300 pp tion Data: Eyes (rabbit): 500 stigated as a drug, mutager	ave not beer 1.14 ml/kg 450 mg/kg; t): 20,000 p 500 mg/m3 (500 mg/m3 (500 mg (24h) r n, natural pro hemical Sub	n thoroughly st ; Oral TDLO (r Oral LD50 (mo om (10h); Inha (20m); Inhalati mild; Skin (rabl oduct, primary	man): 650 mg/k ouse): 10.5 ml/ Ilation TCLO (h on LC50 (rat): bit): 20 mg (24 irritant, reprod	kg; Oral LD5 human): 1,800 5,900 mg/m3 h) moderate; uctive effecto	
Carcir	nogenicity	<i>v</i> :	Ethanol RTECS Number: KQ6300000 NTP? No IARC Monographs? No OSHA Regulated? No						
CAS #			nponents (Chemical Name)		NTP	IARC	ACGIH	OSHA	
5880	58801-34-6 diethyl			hyl-14,21-dioxo-16,19-diox ate	n.a.	n.a.	n.a.	n.a.	
64-	-17-5	Ethyl alcohol			n.a.	1	A4	n.a.	
			Sectio	n 12. Ecological I	nformat	ion			
12.2 12.3 12.4 12.5 12.6	Degradability: 2.3 Bioaccumulative No data available. Potential: 2.4 Mobility in Soil: No data available. 2.5 Results of PBT and vPvB No data available. assessment: 2.6 Other adverse effects: No data available.			ble. ble. ble.					
12.1	Wasta D	ianaaal Mathadu		•					
13.1	vvaste D	isposal Method:	-	cordance with local, state, a		-			
DC			OOT):	on 14. Transport I					

4
~
<u> </u>
Cauman
CHEMICAL

Page: 6 of 6

14.1 LAND T	RANSPORT (Eur	opean ADR/RID):					
ADR/RID S	hipping Name:	Ethyl Alcohol Solution					
UN Number:		1170					
Hazard Class:		3 - FLAMMABLE LIQUID					
14.3 AIR TR	ANSPORT (ICAO/	IATA):					
	Shipping Name:	Ethyl Alcohol Solution					
UN Number:		1170	Packing Gro	auc:			
Hazard Cla	ISS:	3 - FLAMMABLE LIQUID	IATA Classi	-	3		
Additional Tra	Insport						
Information:		Transport in accordance with local, state, and federal regulations. When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of					
		E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.					
		Therefore packaging does not h	ave to be labeled a	s Dangerous Goo	ds/Excepted Quantity.		
		Section 15. Regul	atory Informa	ation			
EPA SARA (Si	uperfund Amendn	nents and Reauthorization Act o	of 1986) Lists				
CAS #	Hazardous Com	nponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
58801-34-6	diethyl		No	No	No		
	1	7,18,22-tetramethyl-14,21-dioxo-1					
		2-diazatetratriacontanedioate					
64-17-5	Ethyl alcohol		No	No	No		
CAS #	Hazardous Com	nponents (Chemical Name)	Other US EPA or State Lists				
58801-34-6	diethyl		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA				
	1	[R-(R*,R*)]-13,17,18,22-tetramethyl-14,21-dioxo-1		PROP.65: No			
04.47.5		2-diazatetratriacontanedioate					
64-17-5	Ethyl alcohol		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No				
Regulatory Inf	ormation	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:		No.1272/2008.					
		Section 16. Oth	er Informatio	on			
Revision Date:		02/03/2020					
Additional Info	ormation About	No data available.					
This Product:							
Company Polic	cy or Disclaimer:	DISCLAIMER: This information i	is believed to be ac	curate and represe	ents the best information		
	2	currently available to us. However, we make no warranty of merchantability or any other warranty,					
		express or implied, with respect to such information, and we assume no liability resulting from its					
		use. Users should make their own investigations to determine the suitability of the information for					
		their particular purposes.					