

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 03/19/2020

Version 1.12

SECTION 1.Identification

Product identifier

Product number 818760

Product name Ethanol absolute EMPLURA®

Synonyms EtOH CAS-No. 64-17-5

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical production, Chemical for synthesis

Details of the supplier of the safety data sheet

Company Millipore (Canada) Ltd. | 2149 Winston Park Dr. | Oakville |

Ontario L6H 6J8 | Canada | General Inquiries: +1 905 829 9500 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time

(GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt,

Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225 Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms







according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula C₂H₅OH C₂H₆O (Hill)

Synonyms EtOH

Molar mass 46.07 g/mol

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

ethanol (>= 90 % - <= 100 %)

64-17-5



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove

contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most).

Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder, Water

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Pay attention to flashback.

Forms explosive mixtures with air at ambient temperatures.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Millipore SigMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at $+5^{\circ}$ C to $+30^{\circ}$ C ($+41^{\circ}$ F to $+86^{\circ}$ F).



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1 12

Product name Ethanol absolute EMPLURA®

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Components

Basis Value Threshold Remarks

limits

ethanol 64-17-5

CAD AB OEL Time Weighted 1,000 ppm

1,880 mg/m³ Average (TWA):

CAD BC OEL Short Term Exposure 1,000 ppm

Limit (STEL):

CAD MB OEL Short Term Exposure 1,000 ppm

Limit (STEL):

CAD ON OEL Short Term Exposure 1,000 ppm

Limit (STEV): OEL (QUE) Time Weighted 1,000 ppm

> 1,880 mg/m³ Average (TWA):

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Safety glasses

Hand protection

full contact:

Glove material: butyl-rubber

0.7 mm Glove thickness: Break through time: 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0.40 mm Break through time: 120 min



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapors of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor alcohol-like

Odor Threshold 0.1 - 5058.5 ppm

pH 7.0

at 10 g/l 68 °F (20 °C)

Melting point -174.1 °F (-114.5 °C)

Boiling point/boiling range 172.9 °F (78.3 °C)

at 1,013 hPa

Flash point 55 °F (13 °C)

Method: c.c.



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 3.1 %(V)

Upper explosion limit 27.7 %(V)

Vapor pressure 59 hPa

at 68 °F (20 °C)

Relative vapor density 1.6

Density 0.790 - 0.793 g/cm3

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

completely miscible

Partition coefficient: n-

octanol/water

log Pow: -0.31

(experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 1.2 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 797 °F (425 °C)

Method: DIN 51794

Conductivity $< 1 \mu S/cm$

SECTION 10. Stability and reactivity Reactivity



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

hydrogen peroxide, perchlorates, perchloric acid, Nitric acid, mercury(II) nitrate, permanganic acid, Nitriles, peroxi compounds, Strong oxidizing agents, nitrosyl compounds, Peroxides, sodium, Potassium, halogen oxides, calcium hypochlorite, nitrogen dioxide, metallic oxides, uranium hexafluoride, iodides, Chlorine, Alkali metals, Alkaline earth metals, alkali oxides, Ethylene oxide

silver, with, Nitric acid

silver compounds, with, Ammonia

potassium permanganate, with, conc. sulfuric acid

Risk of ignition or formation of inflammable gases or vapors with:

halogen-halogen compounds, chromium(VI) oxide, chromyl chloride, Fluorine, hydrides, Oxides of phosphorus, platinum

Nitric acid, with, potassium permanganate

Conditions to avoid

Warming.

Incompatible materials

rubber, various plastics

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact

Acute oral toxicity

LD50 Rat: 10,470 mg/kg OECD Test Guideline 401

Symptoms: Nausea, Vomiting



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Acute inhalation toxicity

LC50 Rat: 124.7 mg/l; 4 h; vapor

OECD Test Guideline 403

Symptoms: slight mucosal irritations

Skin irritation

Rabbit

Result: No skin irritation OECD Test Guideline 404

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to

degreasing properties of the product.

Eye irritation

Rabbit

Result: Eye irritation OECD Test Guideline 405

Causes serious eye irritation.

Sensitization

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

MOUSE LYMPHOMA TEST

Result: negative

Method: OECD Test Guideline 476

Carcinogenicity

Carcinogen classifications of IARC, NTP, California proposition 65 for Ethanol CAS 64-17-5 apply to beverage use only. This product is NOT intended for this use.

Reproductive toxicity
Application Route: Oral

Mouse

Method: OECD Test Guideline 416

Specific target organ systemic toxicity - single exposure



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater

than or equal to 0.1% is on OSHA's list of regulated

carcinogens.

NTP No ingredient of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

ACGIH No ingredient of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

Further information

Systemic effects:

euphoria

After absorption:

 $\label{eq:decomposition} \mbox{Dizziness, inebriation, narcosis, respiratory paralysis}$

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

flow-through test EC50 Pimephales promelas (fathead minnow): 15,300 mg/l; 96 h

Analytical monitoring: yes

US-EPA

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 9,268 - 14,221 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 5,000 mg/l; 7 d (Lit.)

Toxicity to bacteria

EC5 Pseudomonas putida: 6,500 mg/l; 16 h (IUCLID)



Page 10 of 14

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 9.6 mg/l; 9 d (ECHA)

Persistence and degradability

Biodegradability
94 %
OECD Test Guideline 301E
Readily biodegradable.
Biochemical Oxygen Demand (BOD)
930 - 1,670 mg/g (5 d)
(Lit.)
Theoretical oxygen demand (ThOD)
2,100 mg/g
(Lit.)
Ratio COD/ThBOD
90 %
(Lit.)

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -0.31 (experimental) (Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

No interference with wastewater treatment plants are to be expected when used properly.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.



according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1170 **Proper shipping name** ETHANOL

Class 3
Packing group II
Environmentally --hazardous

Air transport (IATA)

UN number UN 1170 **Proper shipping name** ETHANOL

Class 3
Packing group II
Environmentally -hazardous

Special precautions for no

user

Sea transport (IMDG)

UN number UN 1170 **Proper shipping name** ETHANOL

Class 3
Packing group II
Environmentally --

hazardous

Special precautions for yes

user

EmS F-E S-D

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Millipore SiGMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

Notification status

TSCA: All components of the product are listed in the TSCA-

inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date03/19/2020

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the

Millipore SigMa

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 818760 Version 1.12

Product name Ethanol absolute EMPLURA®

product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.

