

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

	Revision Date 06/14/2018	Version 4.2
SECTION 1.Identification		
Product identifier		
Product number	104763	
Product name	Iodine 99.999 Suprapur®	
CAS-No.	7553-56-2	
Relevant identified uses of t	he substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobi Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-547 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, German	6
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification Acute toxicity, Category 4, Inhalation, H332 Acute toxicity, Category 4, Dermal, H312 Skin irritation, Category 2, H315 Eye irritation, Category 2A, H319 Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system, H335 Specific target organ systemic toxicity - repeated exposure, Category 1, Oral, thyroid, H372 For the full text of the H-Statements mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see

GHS-Labeling

Hazard pictograms



Signal Word Danger

Hazard Statements H312 + H332 Harmful in contact with skin or if inhaled.

oduct number	104763	Version 4.2
oduct name	Iodine 99.999 Suprapur®	
H315 Causes skin irrit	tation.	
H319 Causes serious	eye irritation.	
H335 May cause resp	iratory irritation.	
H372 Causes damage	e to organs (thyroid) through prolonged or repeated exposure if swallowed.	
Precautionary Statem	nents	
P260 Do not breathe	dust/ fume/ gas/ mist/ vapors/ spray.	
P264 Wash skin thoro	bughly after handling.	
	k or smoke when using this product.	
-	ors or in a well-ventilated area.	
•	gloves/ eye protection/ face protection.	
	KIN: Wash with plenty of soap and water.	
P304 + P340 IF INHA breathing.	LED: Remove victim to fresh air and keep at rest in a position comfortable for	
U	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	easy to do. Continue rinsing.	
•	<i>v</i> ice/ attention if you feel unwell.	
	res (see supplemental first aid instructions on this label).	
•	ritation occurs: Get medical advice/ attention.	
	itation persists: Get medical advice/ attention.	
-	ninated clothing and wash before reuse.	
	a well-ventilated place. Keep container tightly closed.	
P405 Store locked up		
	ents/ container to an approved waste disposal plant.	

None known.

SECTION 3. Composition/information on ingredients

Formula	I₂ (Hill)
Molar mass	253.8 g/mol

Hazardous ingredients

Chemical name (Concentration) CAS-No. *lodine (>= 90 % - <= 100 %)* 7553-56-2

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, conjunctivitis, Asthma, bronchitis, Dermatitis, Skin disorders, Fever, bloody diarrhea, collapse, rhinitis, metallic taste

Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapors. Fire may cause evolution of: hydrogen iodide

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at $+5^{\circ}$ C to $+30^{\circ}$ C ($+41^{\circ}$ F to $+86^{\circ}$ F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients			
Basis	Value	Threshold limits	Remarks
Iodine 7553-56-	-2		
CAD AB OEL	Ceiling Limit Value:	0.1 ppm 1 mg/m³	
CAD BC OEL	Ceiling Limit Value:	0.1 ppm	
CAD ON OEL	Time Weighted Average (TWAEV):	0.01 ppm	Form of exposure: Inhalable fraction and vapor.
OEL (QUE)	Ceiling Limit Value:	0.1 ppm 1.0 mg/m³	
			Recirculation prohibited
CAD MB OEL	Short Term Exposure Limit (STEL):	0.1 ppm	Form of exposure: Vapor and aerosol.
	Time Weighted Average (TWA):	0.01 ppm	Form of exposure: Inhalable fraction and vapor.
CAD ON OEL	Short Term Exposure Limit (STEV):	0.1 ppm	Form of exposure: Vapor and aerosol.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Safety glasses

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	

Hand protection

full contact:

	Glove material:	Nitrile rubber
	Glove thickness:	0.11 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0.11 mm
	Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment: protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	dark violet
Odor	stinging
Odor Threshold	No information available.
рН	5.4 (saturated solution)
Melting point	237 °F (114 °C)
Boiling point/boiling range	365 °F (185 °C) at 1,013 hPa
Flash point	No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number Product name	104763 Iodine 99.999 Suprapur®	Version 4.2
Evaporation rate	No information available.	
Flammability (solid, gas)	The product is not flammable.	
Lower explosion limit	Not applicable	
Upper explosion limit	Not applicable	
Vapor pressure	0.41 hPa at 77 °F (25 °C)	
Relative vapor density	8.8	
Density	4.93 g/cm3 at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	0.3 g/l at 68 °F (20 °C)	
Partition coefficient: n- octanol/water	log Pow: 2.49 (experimental) Bioaccumulation is not expected. (Lit.)	
Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	2.27 mPa.s at 241 °F (116 °C)	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Bulk density	ca.2,100 kg/m3	
Viscosity, kinematic	0.57 mm2/s at 241 °F (116 °C) liquid	

SECTION 10. Stability and reactivity

Reactivity See below

Chemical stability sublimable

Possibility of hazardous reactions

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	

Risk of explosion with:

Reducing agents, Alkali metals, Acetylene, Ammonia, Potassium, copper compounds, sodium, oxyhalogenic compounds, Boron, halogen oxides, iodides, azides, ammonium compounds

antimony, in powder form

mercury oxide, with, Methanol, and, ethanol

Risk of ignition or formation of inflammable gases or vapors with:

Powdered metals, Zinc, semimetals, halogen-halogen compounds, nonmetals, nonmetallic oxides, alkali salts, Iron, Fluorine, formaldehyde, hydrides, sodium phosphite, phosphorus, sulfur, Titanium, powdered aluminum, acetylidene, combustible substances, powdered magnesium, petrol, butadiene, CALCIUM HYDRIDE

Diethyl ether, with, Aluminum

Exothermic reaction with:

carbides, azides, turpentine oils and/or turpentine substitutes, alkali oxides, lithium silicide, alkaline earth compounds, nitrides, Acetaldehyde, Lithium, fluorides, Oxides of phosphorus, Chlorine

Iron, in powder form

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact, Ingestion *Acute oral toxicity*

LD50 Rat: 14,000 mg/kg (RTECS) Symptoms: metallic taste, bloody diarrhea, Circulatory collapse

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract absorption

Acute dermal toxicity LD50 Rabbit: 1,425 mg/kg US-EPA

absorption

Product number	104763	Version 4.
Product name	Iodine 99.999 Suprapur®	
Chin irritation		
<i>Skin irritation</i> In vitro study		
Result: non-corrosive		
OECD Test Guideline	435	
In vitro study		
Result: Irritations		
OECD Test Guideline	439	
Causes skin irritation.		
Possible damages: De	ermatitis	
Eye irritation		
Causes serious eye in	ritation	
Sensitization		
In animal experiments	: Mouse	
Result: negative		
Method: OECD Test G	Guideline 429	
Repeated dose toxicit	'Y	
(as aqueous solution)		
Genotoxicity in vitro		
Mutagenicity (mamma		
MOUSE LYMPHOMA	TEST	
Result: negative Method: OECD Test G	Suideline 476	
UDS (Unscheduled DI Result: negative	va synthesis assay)	
Method: OECD Test G	Guideline 482	
Specific target organ s	systemic toxicity - single exposure	
May cause respiratory		
Target Organs: Respir	ratory system	
	systemic toxicity - repeated exposure gans through prolonged or repeated exposure if swallowed.	
Routes of exposure: C		
Target Organs: thyroid		
Aspiration hazard		
	ble data the classification criteria are not fulfilled.	
Carcinogenicity		
IARC	No ingredient of this product present at levels greater than o	or
	equal to 0.1% is identified as probable, possible or confirme	ed
	human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than	or
	equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than o	or
INTE		וע

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	
Further information		
Systemic effects:		
After uptake:		
Fever		
Chronic intoxication:		
Skin disorders, rhinitis, conj	unctivitis, bronchitis, Asthma	
Handle in accordance with g	good industrial hygiene and safety practice.	

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish static test LC50 Oncorhynchus mykiss (rainbow trout): 1.67 mg/l; 96 h (ECHA)

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 0.55 mg/l; 48 h (ECHA)

Toxicity to algae Growth inhibition ErC50 Desmodesmus subspicatus (green algae): 0.13 mg/l; 72 h OECD Test Guideline 201

Toxicity to bacteria EC50 activated sludge: 280 mg/l; 3 h OECD Test Guideline 209

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 2.49 (experimental) Bioaccumulation is not expected. (Lit.)

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	

SECTION 14. Transport information	
Land transport (DOT)	
UN number	UN 3495
Proper shipping name	IODINE
Class	8 (6.1)
Packing group	III
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 3495
Proper shipping name	IODINE
Class	8 (6.1)
Packing group	III
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 3495
Proper shipping name	IODINE
Class	8 (6.1)
Packing group	III
Environmentally hazardous	
Special precautions for user EmS	yes F-A S-B

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status


TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Product number	104763	Version 4.2
Product name	Iodine 99.999 Suprapur®	



Signal Word Danger

Hazard Statements
H312 + H332 Harmful in contact with skin or if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H372 Causes damage to organs (thyroid) through prolonged or repeated exposure if swallowed.
H400 Very toxic to aquatic life.

Precautionary Statements Prevention P273 Avoid release to the environment. Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/14/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.