

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 11/21/2018

Version 1.6

SECTION 1. Identification**Product identifier**

Product number	805333
Product name	Lauric acid for synthesis
CAS-No.	143-07-7

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for synthesis
-----------------	------------------------

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobicoke Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	------------------------------------------------------------------------------------------------------

SECTION 2. Hazards identification**GHS Classification**

Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling*Hazard pictograms**Signal Word*

Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula

$\text{CH}_3(\text{CH}_2)_{10}\text{COOH}$

$\text{C}_{12}\text{H}_{24}\text{O}_2$ (Hill)

Molar mass

200.32 g/mol

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

Lauric acid (>= 90 % - <= 100 %)

143-07-7

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store below +30°C (+86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	white to light yellow
Odor	weak characteristic odor
Odor Threshold	No information available.
pH	No information available.
Melting point	109 - 113 °F (43 - 45 °C)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

Boiling point/boiling range	570 °F (299 °C) at 1,013 hPa
Flash point	349 °F (176 °C) Method: closed cup
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable. Flammability (solids)
Lower explosion limit	0.6 %(V)
Upper explosion limit	No information available.
Vapor pressure	0.15 hPa at 212 °F (100 °C) < 1 Pa at 77 °F (25 °C) (Lit.)
Relative vapor density	6.91
Density	0.883 g/cm ³ at 122 °F (50 °C)
Relative density	No information available.
Water solubility	4.81 mg/l at 77 °F (25 °C) (Lit.)
Partition coefficient: n-octanol/water	log Pow: 4.6 (experimental) (Lit.) Potential bioaccumulation
Autoignition temperature	> 482 °F(> 250 °C)
Decomposition temperature	No information available.
Viscosity, dynamic	7 mPa.s at 122 °F (50 °C)
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	482 °F (250 °C)
Bulk density	ca.490 kg/m ³

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 805333
Product name Lauric acid for synthesis

Version 1.6

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.
The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with:
Bases, Strong oxidizing agents, strong reducing agents

Conditions to avoid

Strong heating.

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure
Eye contact, Skin contact, Ingestion

Acute oral toxicity
LD50 Rat: > 5,000 mg/kg
OECD Test Guideline 401

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Skin irritation
Rabbit
Result: No skin irritation
OECD Test Guideline 404

Eye irritation
Rabbit
Result: Eye irritation
OECD Test Guideline 405

Causes serious eye irritation.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

Sensitization

Maximization Test Guinea pig

Result: negative

(ECHA)

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(ECHA)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Danio rerio (zebra fish): 16 - 64 mg/l; 96 h (Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 16.9 mg/l; 48 h (ECOTOX Database)

Toxicity to algae

Growth rate ErC50 Selenastrum capricornutum (green algae): > 7.6 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201 (above the solubility limit in the test medium)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

Persistence and degradability

Biodegradability

86 %; 30 d; aerobic

OECD Test Guideline 301D

Readily biodegradable.

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 4.6

(experimental)

(Lit.) Potential bioaccumulation

Mobility in soil

No information available.

Other adverse effects

Surface tension

26.6 mN/m

at 158 °F(70 °C)

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

805333

Version 1.6

Product name

Lauric acid for synthesis

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 11/21/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.