

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 12/27/2019

Version 1.10

SECTION 1. Identification

Product identifier

Product number	105679
Product name	Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur
CAS-No.	7447-41-8

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd. 2149 Winston Park Dr. Oakville Ontario L6H 6J8 Canada General Inquiries: +1 905 829 9500 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
----------------------------	--

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 4, Oral, H302
Skin irritation, Category 2, H315
Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Signal Word

Warning

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statements

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	LiCl	CLi (Hill)
Molar mass	42.39 g/mol	

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

Lithium chloride (>= 90 % - <= 100 %)

7447-41-8

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Drowsiness, Diarrhea, Nausea, Vomiting, cardiovascular disorders, Tiredness, Impairment of vision

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

Hydrogen chloride gas

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at +5°C to +30°C (+41°F to +86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

105679

Version 1.10

Product name

Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream.
Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	colorless
Odor	odorless

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679 Version 1.10
Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Odor Threshold	Not applicable
pH	ca. 6 at 50 g/l 68 °F (20 °C) 1127.34 °F (608.52 °C) at 1,013.25 hPa Method: OECD Test Guideline 102
Boiling point/boiling range	2,480 °F (1,360 °C) at 1,013 hPa
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapor pressure	1.33 hPa at 1017 °F (547 °C)
Relative vapor density	No information available.
Density	2.07 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	569 g/l at 68 °F (20 °C) Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	Not applicable for inorganic substances
Autoignition temperature	No information available.
Decomposition temperature	No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105679	Version 1.10
Product name	Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur	

Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	Not applicable
Bulk density	ca.530 kg/m ³

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

hygroscopic

Possibility of hazardous reactions

Risk of explosion with:, Exothermic reaction with:

Alkali metals, halogen-halogen compounds

Violent reactions possible with:

Strong acids

Conditions to avoid

Moisture.

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Acute oral toxicity

LD50 Rat: 526 mg/kg (RTECS)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

LC50 Rat: > 5.57 mg/l; 4 h ; aerosol
OECD Test Guideline 403

Symptoms: Possible damages: , mucosal irritations

Acute dermal toxicity

LD50 Rat: > 2,000 mg/kg
OECD Test Guideline 402

Skin irritation

Rabbit

Result: Irritations
(IUCLID)

Causes skin irritation.

Eye irritation

Causes serious eye irritation.

Rabbit

Result: Eye irritation
OECD Test Guideline 405

Sensitization

Buehler Test Guinea pig
Result: negative
Method: OECD Test Guideline 406

Genotoxicity in vitro

Ames test

Result: negative
(Lit.)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

After absorption of toxic quantities:

Drowsiness, Impairment of vision, lack of appetite, change in weight, Tiredness, Diarrhea, Vomiting, Nausea, cardiovascular disorders, disturbed electrolyte balance.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

static test LC50 *Oncorhynchus mykiss* (rainbow trout): 158 mg/l; 96 h

Analytical monitoring: yes

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 *Daphnia magna* (Water flea): 249 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

Toxicity to algae

static test EC50 *Desmodesmus subspicatus* (green algae): > 400 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

static test EC10 *Desmodesmus subspicatus* (green algae): 80 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

Persistence and degradability

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105679

Version 1.10

Product name Lithium chloride for analysis EMSURE® ACS, Reag. Ph Eur

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Warning

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 12/27/2019

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.