

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 02/01/2019

Version 2.4

SECTION 1. Identification

Product identifier

Product number	105867
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP
CAS-No.	1309-48-4

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Pharmaceutical production, Cosmetic raw material
-----------------	--

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd. 2149 Winston Park Dr. Oakville Ontario L6H 6J8 Canada General Inquiries: +1 905 829 9500 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
----------------------------	--

SECTION 2. Hazards identification

GHS-Labeling

Not a dangerous substance according to GHS.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	MgO (Hill)
Molar mass	40.3 g/mol

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

Remarks	WHMIS hazardous composition: No ingredients are hazardous according to the HPR criteria.
---------	--

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Diarrhea

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at +5°C to +30°C (+41°F to +86°F).

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105867 Version 2.4
 Product name Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Components

Basis	Value	Threshold limits	Remarks
<i>Magnesium oxide 1309-48-4</i>			
CAD AB OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Fume.
CAD BC OEL	Short Term Exposure Limit (STEL):	10 mg/m ³	Form of exposure: Respirable dust and/or fume. Expressed as: as Mg
	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable fume.
	Time Weighted Average (TWA):	3 mg/m ³	Form of exposure: Respirable dust and/or fume. Expressed as: as Mg
CAD MB OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable fraction.
CAD ON OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable fraction.
OEL (QUE)	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Fume. Expressed as: as Mg

General threshold limit value for dust

CAD AB OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total particulate.
	Time Weighted Average (TWA):	3 mg/m ³	Form of exposure: Respirable particles.
CAD BC OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total dust.
	Time Weighted Average (TWA):	3 mg/m ³	Form of exposure: Respirable fraction.
OEL (QUE)	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Total dust.
CAD MB OEL	Time Weighted Average (TWA):	3 mg/m ³	Form of exposure: Respirable particles.
	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable particles.
CAD ON OEL	Time Weighted Average (TWA):	10 mg/m ³	Form of exposure: Inhalable fraction.
	Time Weighted Average (TWA):	3 mg/m ³	Form of exposure: Respirable fraction.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105867 Version 2.4
Product name Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state solid
Color white

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 105867 Version 2.4
Product name Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP

Odor	odorless
Odor Threshold	Not applicable
pH	10.3 at 68 °F (20 °C) (saturated solution)
Melting point	5,072 °F (2,800 °C)
Boiling point/boiling range	6,512 °F (3,600 °C) at 1,000 hPa
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	3.58 g/cm ³ at 77 °F (25 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) practically insoluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	not combustible
Bulk density	ca.100 kg/m3

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Exothermic reaction with:
halogen-halogen compounds, acids

Conditions to avoid

Exposure to moisture.

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Acute oral toxicity

Symptoms: In high doses:, Diarrhea

Acute inhalation toxicity

Symptoms: slight mucosal irritations

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.
Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.
Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	105867	Version 2.4
Product name	Magnesium oxide heavy EMPROVE® ESSENTIAL Ph Eur,BP,USP	

Revision Date 02/01/2019

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.