

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 06/14/2018

Version 1.5

SECTION 1.Identification

Product identifier

Product number 115942

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

CAS-No. 2437-29-8

Relevant identified uses of the substance or mixture and uses advised against

Identified uses In vitro diagnostic reagent, Reagent for analysis

Details of the supplier of the safety data sheet

Company Millipore (Canada) Ltd | 109 Woodbine Downs Blvd. Unit 5 | Etobicoke

| Ontario M9W 6Y1 | Canada | General Inquiries: +1 800-645-5476 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 3, Oral, H301 Serious eye damage, Category 1, H318 Reproductive toxicity, Category 2, H361

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms







Signal Word
Danger

Hazard Statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula $C_{46}H_{50}N_4 * 2 C_2HO_4 * C_2H_2O_4$ $C_{52}H_{54}N_4O_{12}$ (Hill)

Molar mass 927.01 g/mol

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

Malachite green oxalate (>= 90 % - <= 100 %)

2437-29-8

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

irritant effects

Risk of serious damage to eyes.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at +5°C to +30°C (+41°F to +86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

SECTION 9. Physical and chemical properties

Physical state solid

Color green

Odor weak characteristic odor

Odor Threshold No information available.

pH 2.4

at 10 g/l 75 °F (24 °C)

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	115942	Version 1.5
Product name	Malachite green oxalate (C.I. 42000) for microscopy Certistain®	

Melting point ca. 318 °F (159 °C)

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density No information available.

Relative density No information available.

Water solubility 110 g/l

at 75 °F (24 °C)

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Bulk density ca.400 - 500 kg/m3

SECTION 10. Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

Violent reactions possible with:

strong oxidizing agents

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

LD50 Rat: 275 mg/kg (Lit.)

absorption

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Eye irritation

Causes serious eye damage.

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

CMR effects

Teratogenicity / Reproductive toxicity: Suspected of damaging fertility or the unborn child.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number Product name	115942 Malachite green oxalate (C.I. 42000) for microscopy Certistain®	Version 1.5
OSHA	No component of this product present at levels greater than or	
	equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

Further information

After absorption: Damage to:

Liver, Kidney, Cardiac

The following applies to aromatic amines in general: systemic effect: methemoglobinemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discoloration of the blood).

This substance should be handled with particular care.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Ictalurus catus (catfish): 0.14 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 0.29 mg/l; 48 h (ECOTOX Database)

Toxicity to bacteria

EC50 Sewage sludge: 10 - 100 mg/l

OECD Test Guideline 209

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

SECTION 14. Transport information

Land transport (DOT)

UN number UN 2811

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (MALACHITE GREEN

OXALATE)

Class 6.1
Packing group III
Environmentally hazardous --

Air transport (IATA)

UN number UN 2811

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (MALACHITE GREEN

OXALATE)

Class 6.1
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 2811

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S. (MALACHITE GREEN

OXALATE)

Class 6.1

Packing group III

Environmentally hazardous -
Special precautions for user yes

EmS F-A S-A

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: Not Listed on TSCA inventory. For Research and Development

Use only. Not For Manufacturing or Commercial Purposes.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 115942 Version 1.5

Product name Malachite green oxalate (C.I. 42000) for microscopy Certistain®

Labeling

Hazard pictograms









Signal Word
Danger

Hazard Statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/14/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.