

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 06/17/2018

Version 3.2

SECTION 1. Identification**Product identifier**

Product number	PX1507
Product name	Potassium Iodide Granular GR ACS
CAS-No.	7681-11-0

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobicoke Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

SECTION 2. Hazards identification**GHS Classification**

Specific target organ systemic toxicity - repeated exposure, Category 1, Oral, Thyroid, H372
For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling*Hazard pictograms**Signal Word*

Danger

Hazard Statements

H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

Precautionary Statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula

KI IK (Hill)

Molar mass

166.00 g/mol

Remarks

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitization possible in predisposed persons.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

Fire may cause evolution of:
hydrogen iodide

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>Potassium iodide 7681-11-0</i>			
CAD MB OEL	Time Weighted Average (TWA):	0.01 ppm	Form of exposure: Inhalable fraction and vapor.
CAD ON OEL	Time Weighted Average (TWAEV):	0.01 ppm	Form of exposure: Inhalable fraction and vapor.
CAD BC OEL			Included in the regulation but with no data values. See regulation for further details

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	off-white
Odor	odorless
Odor Threshold	Not applicable
pH	ca. 6.9 at 50 g/l 68 °F (20 °C)
Melting point	1265 °F (685 °C) at ca.975 hPa
Boiling point/boiling range	2,417 °F (1,325 °C) at 1,013 hPa
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	ca.1 hPa at 1373 °F (745 °C)
Relative vapor density	No information available.
Density	3.23 g/cm ³ at 77 °F (25 °C)
Relative density	No information available.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

Solubility(ies)

Solvent: Alcohol

68 °F (20 °C)

soluble

Solvent: Acetone

68 °F (20 °C)

soluble

Solvent: Ether

68 °F (20 °C)

soluble

Water solubility

ca.1,430 g/l

at 68 °F (20 °C)

Partition coefficient: n-
octanol/water

Not applicable for inorganic substances

Autoignition temperature

No information available.

Decomposition temperature

No information available.

Viscosity, dynamic

No information available.

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Bulk density

ca.1,500 kg/m³

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

Sensitivity to light

Possibility of hazardous reactions

Risk of explosion with:

Alkali metals, Ammonia, halogen-halogen compounds, hydrogen peroxide, perchloryl fluoride

Exothermic reaction with:

Oxidizing agents

Risk of ignition or formation of inflammable gases or vapors with:

Fluorine

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

LD50 Rat: 2,779 mg/kg (own results)

Acute dermal toxicity

LD50 Rat: > 2,000 mg/kg

OECD Test Guideline 402

Skin irritation

Rabbit

Result: No skin irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: No eye irritation

OECD Test Guideline 405

Sensitization

Patch test: human

Result: negative

(ECHA)

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(Lit.)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure if swallowed.

Routes of exposure: Oral

Target Organs: Thyroid

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

After absorption of toxic quantities:

drop in blood pressure, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitization possible in predisposed persons.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

static test LC50 Danio rerio (zebra fish): > 100 mg/l; 96 h

OECD Test Guideline 203

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

Mobility in soil

No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

(company-internal/in-house) Occupational Exposure Limit (company OEL)

Internal company value 10 µg/m³

Short Term Exposure (15 min) Factor 4

Pregnancy risk groups C

There is no reason to fear damage to the embryo, or foetus when the company OEL value is observed.

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Danger

Hazard Statements

H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

Precautionary Statements

Response

P314 Get medical advice/ attention if you feel unwell.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

PX1507

Version 3.2

Product name

Potassium Iodide Granular GR ACS

Revision Date 06/17/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.