


1. Product and Company Identification

Product Name Instant Rust Out ®
CAS # Mixture
Product use Rust Stain Remover
Manufacturer Iron Out dba Summit Brands
 7201 Engle Road
 Fort Wayne, IN 46804-5875 US
 Phone: 260-483-2519
 Emergency Phone: 1-800-424-9300 (CHEMTREC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 2
Flammability	0
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview DANGER -- CORROSIVE
 Contains a potential reproductive toxin.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes chemical burns. May cause blindness.

Skin Causes chemical burns.

Inhalation May cause respiratory tract irritation.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Target organs Eyes. Kidney. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects This product has not been tested.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Urea, monohydrochloride	506-89-8	3 - 7
Oxalic acid	144-62-7	1 - 5
Boric acid	10043-35-3	0.5 - 1.5
Ammonium bifluoride	1341-49-7	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical advice immediately.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS/OSHA criteria.

Extinguishing media**Suitable extinguishing media**

Treat for surrounding material.

Unsuitable extinguishing media

Not available

Protection of firefighters**Specific hazards arising from the chemical**

Not available

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Ammonia. Hydrogen fluoride.

Explosion data**Sensitivity to mechanical impact**

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods for containment

Stop leak if you can do so without risk.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material. Do not get in eyes, on skin or on clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

Keep out of the reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Ammonium bifluoride	ACGIH-TLV Not established OSHA-PEL Not established
Boric acid	ACGIH-TLV TWA: 2 mg/m ³ STEL: 6 mg/m ³ OSHA-PEL Not established
Oxalic acid	ACGIH-TLV TWA: 1 mg/m ³ STEL: 2 mg/m ³ OSHA-PEL TWA: 1 mg/m ³
Urea, monohydrochloride	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls

Use only under good ventilation conditions or with respiratory protection.

Personal protective equipment

Eye / face protection

Wear chemical goggles.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear.
Color	Colorless
Form	Liquid
Odor	Lime.
Odor threshold	Not available
Physical state	Liquid
pH	0.8 - 1.3
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available

Vapor density	Not available
Specific gravity	1.022 @21°C
Octanol/water coefficient	Not available
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	Reacts vigorously with alkaline material.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers. Caustics. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Ammonia. Hydrogen fluoride.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Ammonium bifluoride	Not available
Boric acid	3450 mg/kg mouse
Oxalic acid	Not available
Urea, monohydrochloride	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Ammonium bifluoride	130 mg/kg rat
Boric acid	2660 mg/kg rat
Oxalic acid	375 mg/kg rat
Urea, monohydrochloride	1121 mg/kg rat

Effects of acute exposure

Eye	Causes chemical burns. May cause blindness.
Skin	Causes chemical burns.
Inhalation	May cause respiratory tract irritation.
Ingestion	Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.
Sensitization	Not classified or listed by IARC, NTP, OSHA and ACGIH.
Chronic effects	Not classified or listed by IARC, NTP, OSHA and ACGIH.
Carcinogenicity	See below.
ACGIH - Threshold Limit Values - Carcinogens	
Boric acid	10043-35-3 A4 - Not Classifiable as a Human Carcinogen (listed under Borate compounds, inorganic)
Mutagenicity	Not classified or listed by IARC, NTP, OSHA and ACGIH.
Reproductive effects	Boric acid may cause developmental changes based on published data, at doses many times in excess of those that could occur through inhalation of dust in occupational settings.
Teratogenicity	Not classified or listed by IARC, NTP, OSHA and ACGIH.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.	
Ecotoxicity - Freshwater Fish - Acute Toxicity Data		
Boric acid	10043-35-3	72 Hr LC50 Carassius auratus: 1020 mg/L [flow-through]
Oxalic acid	144-62-7	24 Hr LC50 Lepomis macrochirus: 4000 mg/L [static]
Ecotoxicity - Water Flea - Acute Toxicity Data		
Boric acid	10043-35-3	48 Hr EC50 Daphnia magna: 115 - 153 mg/L
Oxalic acid	144-62-7	48 Hr EC50 Daphnia magna: 125 - 150 mg/L [Static]
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Mobility in environmental media	Not available	
Environmental effects	Not available	
Aquatic toxicity	Not available	
Partition coefficient	Not available	
Chemical fate information	Not available	
Other adverse effects	Not available	

13. Disposal Considerations

Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

Proper shipping name	Corrosive liquids, n.o.s. (UREA, MONOHYDROCHLORIDE)
Hazard class	8
UN number	UN1760
Packing group	II
Additional information:	
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	154
ERG number	154



Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name	CORROSIVE LIQUID, N.O.S. (UREA, MONOHYDROCHLORIDE)
Hazard class	8
UN number	UN1760
Packing group	II
Additional information:	
Special provisions	16



15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Boric acid	10043-35-3	1 %
Oxalic acid	144-62-7	0.1 %

WHMIS status Controlled

WHMIS classification Class D - Division 2A, Class E - Corrosive Material

WHMIS labeling



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA (Superfund) reportable quantity

Ammonium bifluoride: 100.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Oxalic acid 144-62-7 Present

U.S. - Massachusetts - Right To Know List

Oxalic acid 144-62-7 Present

U.S. - Minnesota - Hazardous Substance List

Oxalic acid 144-62-7 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Oxalic acid 144-62-7 sn 1445

U.S. - Pennsylvania - RTK (Right to Know) List

Oxalic acid 144-62-7 Present

U.S. - Rhode Island - Hazardous Substance List

Oxalic acid 144-62-7 Toxic; Flammable

Inventory name

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer	The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.
Issue date	22-Jun-2011
Effective date	01-Aug-2011
Expiry date	01-Aug-2014
Prepared by	Dell Tech Laboratories Ltd. (519) 858-5021
Other information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.