

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name METER MIST PEACH
Product use Aerosol. Deodorant
Product code 3434
Date of issue 05/02/11 **Supersedes** 05/22/08

Emergency Telephone Numbers

For MSDS Information:
Technical Services Group
Telephone (780) 453-8100
(Business Hours 8:00am - 5:00pm)

For Medical or Transportation Emergency

CANUTEC (24 Hours)
(613) 996-6666 - Call Collect

Prepared By

Technical Services Group
11627 178th Street
Edmonton, Alberta T5S 1N6

Printing date: 02/05/11

Section 2. Hazards Identification

Emergency overview

WARNING!

CONTENTS UNDER PRESSURE.

Do not breathe vapor or mist. Do not get in eyes or on skin or clothing.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Dermal contact. Eye contact. Inhalation.

Eyes

Direct contact may cause irritation and redness. Inflammation of the eye is characterized by redness, watering and itching.

Skin

Prolonged or repeated contact may dry skin and cause irritation. Non-irritating under conditions of use.

Inhalation

Over-exposure by inhalation may cause respiratory irritation. Non-irritating under conditions of use. Avoid direct inhalation of spray.

Ingestion

Aspiration hazard if swallowed. Can enter lungs and cause damage. May be harmful if swallowed. Unlikely in this form.

Chronic effects

Contains material which may cause damage to the following organs: kidneys, liver, central nervous system (CNS).

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients

CAS number

% by Weight

ACETONE; dimethyl ketone	67-64-1	40 - 70
PROPANE; liquefied petroleum gas	74-98-6	10 - 30
ETHANOL; ethyl alcohol; grain alcohol	64-17-5	5 - 10
PROPYLENE GLYCOL; 1,2-dihydroxypropane,1,2-propanediol	57-55-6	5 - 10

Section 4. First Aid Measures

Eye Contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Skin Contact

Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation

Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.

Ingestion

If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

Section 5. Fire Fighting Measures

Flash Point	Not available.
Flammable Limits	Not available.
Flammability	Non-flammable. (CSMA Method)
Auto-ignition Temperature	
Fire-Fighting Procedures	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Fire hazard	CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed.
Products of Combustion	carbon oxides (CO, CO ₂) and other unidentified organic compounds
Explosion hazard	Not available.

Section 6. Accidental Release Measures

Spill Clean up	Large spills are unlikely due to packaging. Put on appropriate personal protective equipment (see section 8). Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
-----------------------	---

Section 7. Handling and Storage

Handling	Put on appropriate personal protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Wash thoroughly after handling.
Storage	CONTENTS UNDER PRESSURE. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store below 120°F (49°C). Do not puncture or incinerate container. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection**Product name**

Acetone

Exposure limits**ACGIH TLV (United States, 1/2009).**

TWA: 500 ppm 8 hour(s).
 TWA: 1188 mg/m³ 8 hour(s).
 STEL: 750 ppm 15 minute(s).
 STEL: 1782 mg/m³ 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 750 ppm 8 hour(s).
 TWA: 1800 mg/m³ 8 hour(s).
 STEL: 1000 ppm 15 minute(s).
 STEL: 2400 mg/m³ 15 minute(s).

NIOSH REL (United States, 6/2009).

TWA: 250 ppm 10 hour(s).
 TWA: 590 mg/m³ 10 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 1000 ppm 8 hour(s).
 TWA: 2400 mg/m³ 8 hour(s).

Propane

ACGIH TLV (United States).

: 800 ppm 8 hour(s).

OSHA PEL (United States).

TWA: 1000 ppm 8 hour(s).

Ethanol

NIOSH REL (United States, 6/2009).

TWA: 1000 ppm 10 hour(s).
 TWA: 1900 mg/m³ 10 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 1000 ppm 8 hour(s).
 TWA: 1900 mg/m³ 8 hour(s).

ACGIH TLV (United States, 1/2009).

STEL: 1000 ppm 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).


TWA: 1000 ppm 8 hour(s).
 TWA: 1900 mg/m³ 8 hour(s).

propane-1,2-diol

AIHA WEEL (United States, 1/2009).

TWA: 10 mg/m³ 8 hour(s).

Personal Protective Equipment (PPE)

Eyes	Recommended: Safety glasses.	
Hands and Body	Recommended: No special protective clothing is required.	
Respiratory	Recommended: Avoid direct inhalation of spray. Use with adequate ventilation.	

Section 9. Physical and Chemical Properties

Physical State Liquid. [Aerosol.]
pH Not applicable
Boiling Point 55.6°C (132°F)
Specific Gravity 0.82
Solubility Partially soluble in the following materials: cold water and hot water.

Color Colorless.
Odor Peach.
Vapor Pressure Not determined.
Vapor Density Not determined.
Evaporation Rate <1 (Water = 1)

Freezing Point**VOC (Consumer)** 29.8% 223 g/L**Section 10. Stability and Reactivity**

Stability and Reactivity The product is stable.
Incompatibility Keep away from heat, sparks and flame. Slightly reactive or incompatible with the following materials: oxidizing materials.
Hazardous Polymerization Will not occur.
Hazardous Decomposition Products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information**Carcinogenicity** Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.**Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Acetone	LC50 Inhalation Vapor	Rat	16000 ppm	4 hours
	LD50 Dermal	Rabbit	20000 mg/kg	-
	LD50 Oral	Mouse	9750 mg/kg	-
	LD50 Oral	Rat	5800 mg/kg	-
Ethanol	LC50 Inhalation Vapor	Rat	20000 mg/m ³	4 hours
	LD50 Oral	Rat	7 g/kg	-
propane-1,2-diol	LD50 Dermal	Rabbit	208 mg/kg	-
	LD50 Oral	Dog	260 mg/kg	-
	LD50 Oral	Mouse	240 mg/kg	-
	LD50 Oral	Rat	200 mg/kg	-


Section 12. Ecological Information**Environmental Effects** No known significant effects or critical hazards.**Aquatic Ecotoxicity**

Not available.

Section 13. Disposal Considerations**Waste Information**

Waste must be disposed of in accordance with applicable regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste**Section 14. Transport Information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
TDG Classification	1950	Aerosols, non-flammable	2.2	-		Explosive Limit and Limited Quantity Index 1
IMDG Class	Not available.	Not available.	Not available.	-		-

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. Limited Quantity: Small quantities of controlled goods are not regulated as Dangerous Goods according to TDG regulations.

PG* : Packing group

Section 15. Regulatory Information**Canada****WHMIS (Canada)**

Class A: Compressed gas.

Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.