

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name NEXTSTEP 2 BASE COAT
Product use Floor Sealer
Product code G081
Date of issue 03/16/11 **Supersedes** 04/08/08

Emergency Telephone Numbers

For MSDS Information:

Technical Services Group
Telephone (780) 453-8100
(Business Hours 8:00am - 5:00pm)

For Medical or Transportation Emergency

CANUTEC (24 Hours)
(613) 996-6666 - Call Collect

Prepared By

Technical Services Group
11627 178th Street
Edmonton, Alberta T5S 1N6

Printing date: 16/03/11

Section 2. Hazards Identification

Emergency overview

WARNING !

CAUSES EYE AND SKIN IRRITATION.

Do not breathe vapor or mist. Do not get in eyes or on skin or clothing. Contains material that may cause target organ damage, based on animal data. Wash thoroughly after handling.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Dermal contact. Eye contact.

Eyes Irritating to eyes. Inflammation of the eye is characterized by redness, watering and itching.

Skin Irritating to skin. Skin inflammation is characterized by itching, scaling, or reddening.

Inhalation No known significant effects or critical hazards.

Ingestion Aspiration hazard if swallowed. Can enter lungs and cause damage.

Chronic effects

Contains material which may cause damage to the following organs: blood, kidneys, liver, testes.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous Ingredients

CAS number

% by Weight

DIETHYLENE GLYCOL MONOMETHYL ETHER; 2-(2-meth-oxy)-ethanol; methyl carbitol 111-77-3 1 - 5

DIETHYLENE GLYCOL MONOBUTYL ETHER; 2-(2-butoxyethoxy)-ethanol; butyl carbitol 112-34-5 1 - 5

Section 4. First Aid Measures

Eye Contact Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Skin Contact Get medical attention immediately. Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if adverse health effects persist or are severe.

Ingestion If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

Section 5. Fire Fighting Measures

Flash Point	Closed cup: >93.3°C (>199.9°F) [Tagliabue.]
Flammable Limits	Not available.
Flammability	Non-combustible.
Auto-ignition Temperature	
Fire-Fighting Procedures	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use dry chemical or CO ₂ or Foam.
Fire hazard	In a fire or if heated, a pressure increase will occur and the container may burst.
Products of Combustion	carbon oxides (CO, CO ₂) and other unidentified organic compounds
Explosion hazard	Not available.

Section 6. Accidental Release Measures

Spill Clean up	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
-----------------------	---


Section 7. Handling and Storage

Handling	Put on appropriate personal protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Do not reuse container. Wash thoroughly after handling.
Storage	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Keep container tightly closed and sealed until ready for use. Do not store in unlabeled containers. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection**Product name**

Diethylene Glycol Monobutyl Ether

Exposure limits**Manufacturer (United States).**
TWA: 35 ppm 8 hour(s).**Personal Protective Equipment (PPE)**

Eyes	Recommended: Splash goggles.	
Hands and Body	Recommended: For prolonged or repeated handling, use Neoprene gloves. Nitrile gloves. Rubber gloves.	
Respiratory	Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Wear appropriate respirator when ventilation is inadequate.	

Section 9. Physical and Chemical Properties

Physical State	Liquid. [Opaque.]	Color	White.
pH	8.0 - 9.0	Odor	Ammoniacal. [Slight]
Boiling Point	100°C (212°F)	Vapor Pressure	not available
Specific Gravity	1.02	Vapor Density	<1 [Air = 1]
Solubility	Soluble in the following materials: cold water and hot water.	Evaporation Rate	<1 (Water = 1)
Freezing Point		VOC (Consumer)	5.9%

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Carcinogenicity No known significant effects or critical hazards. Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Acute Toxicity

Product/ingredient name	Result	Species	Dose	Exposure
diethylene glycol monomethyl ether	LD50 Dermal	Rabbit	650 mg/kg	-
Diethylene glycol monobutyl ether	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Mouse	2400 mg/kg	-
	LD50 Oral	Rat	4500 mg/kg	-
	LD50 Oral	Rat	5660 mg/kg	-

Section 12. Ecological Information

Environmental Effects No known significant effects or critical hazards.

Aquatic Ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
diethylene glycol monomethyl ether	-	Acute LC50 7500000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 33 to 75 mm	96 hours
Diethylene glycol monobutyl ether	-	Acute LC50 2000000 ug/L Marine water	Fish - Inland silverside - Menidia beryllina - 40 to 100 mm	96 hours
	-	Acute LC50 1300000 ug/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 33 to 75 mm	96 hours

Section 13. Disposal Considerations**Waste Information**

Waste must be disposed of in accordance with applicable regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D002
Classification: - [Hazardous waste.]
Origin: - [RCRA waste.]

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
TDG Classification	Not regulated.	-	-	-		-
IMDG Class	Not available.	Not available.	Not available.	-		-

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. **Limited Quantity:** Small quantities of controlled goods are not regulated as Dangerous Goods according to TDG regulations.

PG* : Packing group

Section 15. Regulatory Information**Canada**

WHMIS (Canada) Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.