

**MATERIAL SAFETY DATA SHEET
LIFT AWAY W/B**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION
AND THE COMPANY/UNDERTAKING**

Product Name: LIFT AWAY W/B

Manufacturer:
DUMOND CHEMICALS, INC
104 Interchange Plaza, Suite 202
Monroe Township, NJ 08831
609-655-7700

MSDS Date of Preparation: 6/23/12

EMERGENCY PHONE: (800)457-4280 (InfoTrac) #79363

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is a white, liquid with a slight characteristic odor in an aerosol container. Flammable. Contents under pressure. Causes eye irritation. May cause skin irritation. May be harmful if absorbed through the skin. Mists may cause respiratory irritation and central nervous system effects. Harmful if swallowed. Overexposure to propellant may cause low blood pressure or cardiac effects.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS#.	WT.%
Benzyl Alcohol	100-51-6	40-60
Water and non-hazardous ingredients	7732-18-5	20-40

SECTION 4 FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eye with water for at least 15 minutes while lifting the upper and lower lids. Get medical attention.

SKIN CONTACT: Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.

INHALATION: Remove victim to fresh air. If breathing has stopped give artificial respiration. If breathing is difficult have qualified personnel administer oxygen. Get medical attention.

INGESTION: If conscious, give 1 glass of water to dilute. Do not induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Get immediate medical attention.

SECTION 5 FIRE and EXPLOSION DATA

EXTINGUISHING MEDIA: Water spray or fog, foam, carbon dioxide, dry chemical.

SPECIAL FIREFIGHTING PROCEDURES: Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water spray or stream. Use shielding to protect against bursting cans.

UNUSUAL FIRE AND EXPLOSION HAZARDS: : Flammable. Contents under pressure. Keep away from heat, sparks or open flames. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

SECTION 6 ACCIDENTAL RELEASE MEASURES